



## Faretton focus 55S, for File system

code FR042.927F/01



### PRODUCT DESCRIPTION

Modular system for direct, diffused and/or accent lighting, consisting of hollow profiles made from 66x40 mm painted or anodised extruded aluminium, with a predefined length or cut to measure, available in the following versions: wall-mounted, ceiling-mounted, suspended, recessed with a super-slim edge trim, just 5 mm wide (61.5 x 40 mm) and trimless recessed. To be integrated with LED linear light sources, battens for T16 fluorescent lamps, projectors with built-in LED source and max 16A 3-circuit track modules for inclusion of projectors. Fluorescent battens, complete with 50/60 Hz 230/240 V electronic power supply, LED batten driver included. To be completed with side end caps with Light Proof system, opal white or microprismatic PC diffusing screen (in accordance with EN 12464-1), closing profiles, with a predefined length or cut to measure, or dark-light aluminium grille with high specular qualities and mounting brackets or suspension cables. IP40 protection rating.

### PRODUCT SPECS

Installation method	system
Light source	Led
Absorbed power	12 W
Color temperature	2700K
Color rendering index CRI	>90
Optic	Flood
Finishing	Bianco
Luminaire luminous flux	1325 lm
Luminous efficiency	110 lm/W
MacAdam color tolerance	2
Durata media stimata	2SDCM 50000h L90 B10 ta 25°C
Power supply/transformer	Included
Protocol	On/Off
Energy efficiency class	E
Weight	0.63 Kg
Dimension	L300Wx38Hx115 Ø55 mm
IP Grade	IP20
Protection Class	Class I appliance

### WEB PAGE



### ASSEMBLY INSTRUCTIONS



## OPTIONAL ACCESSORIES

### Accessori Lens With Ring Asymmetric lens with ring ø55



code L055A.A

uncategorized. White finishing  
Warning: Not suitable with halogen lamp

Technical Sheet



code L055A.A

uncategorized. Black finishing  
Warning: Not suitable with halogen lamp

Technical Sheet



### Accessori Lens With Ring Elipsoid lens with ring ø55



code L055E.A

uncategorized. White finishing  
Warning: Not suitable with halogen lamp

Technical Sheet



code L055E.A

uncategorized. Black finishing  
Warning: Not suitable with halogen lamp

Technical Sheet



### Accessori Lens With Ring Honeycomb louver with ring ø55




code L055R.A

uncategorized. White finishing

Technical Sheet





code L055R.A

uncategorized. Black finishing

Technical Sheet



## Accessori Lens With Ring Satin lens with rings ø55



code L055S.A

uncategorized. White finishing

Warning: Not suitable with halogen lamp

Technical Sheet



code L055S.A

uncategorized. Black finishing

Warning: Not suitable with halogen lamp

Technical Sheet

