

## File Flex Outdoor Elle 1

code FXG31.930S/01





### PRODUCT DESCRIPTION

Family of outdoor lighting fixtures - floor, wall, ceiling or suspended –realized by extruded aluminum profiles with curvilinear shapes. Versions with LED linear source with extruded opal flexible silicone screen for diffused light and versions with multi-optic LED modules of the Leva series for accent lighting are available. IP66.

### PRODUCT SPECS

|                              |                                 |
|------------------------------|---------------------------------|
| Installation method          | Floor                           |
| Light source                 | LED                             |
| Absorbed power               | 6,6 W                           |
| Color temperature            | 3000K                           |
| Color rendering index CRI    | >90                             |
| Optic                        | Spot 20°                        |
| Finishing                    | White                           |
| Luminous flux of the product | 651 lm                          |
| Luminous efficiency          | 99 lm/W                         |
| Life time estimate           | 3SDCM 50000h L90 B10<br>Ta 25°C |
| Energy efficiency class      | D                               |
| Dimension                    | L34xW187xH718 mm                |
| IP Grade                     | Ip56                            |
| Protection Class             | Class III appliance             |
| Power supply/Transformer     | Not included                    |
| Protocol                     | See power supply                |



### WEB PAGE



### ASSEMBLY INSTRUCTIONS



## **MANDATORY ACCESSORIES**

### **AE700.14IP (Copia)**



code AE700.12IP

Electronic power supply current

