

## Spottino 36

code SO036.927S/01




### PRODUCT DESCRIPTION

Trimless recessed luminaire for plasterboard, fully concealed, for accent lighting. Backlit light source. Remote power is available as an accessory. Color finish white. The degree of protection is IP40/43.

### PRODUCT SPECS

|                              |                             |
|------------------------------|-----------------------------|
| Installation method          | Trimless recessed           |
| Light source                 | LED                         |
| Absorbed power               | 8 W                         |
| Color temperature            | 2700K                       |
| Color rendering index CRI    | >90                         |
| Optic                        | Spot 19°                    |
| Finishing                    | White                       |
| Luminous flux of the product | 1008 lm                     |
| Luminous efficiency          | 126 lm/W                    |
| MacAdam color tolerance      | 2                           |
| Life time estimate           | 2SCDM 50.000h L90 B10 ta25° |
| Energy efficiency class      | D                           |
| Dimension                    | H93 Ø36 mm                  |
| IP Grade                     | Inst. Soffitto Ip43         |
| Protection Class             | Class III appliance         |
| Power supply/Transformer     | Not included                |
| Protocol                     | See power supply            |



### WEB PAGE



### ASSEMBLY INSTRUCTIONS



## **MANDATORY ACCESSORIES**

### **AE700.10C**



code AE700.10C

Electronic power supply current

