

## Leva graffa 450

code LV705P.940W/02





### PRODUCT DESCRIPTION

Integrated Chip On Board LED luminaire. Wall installation. Luminaire body in painted extruded aluminium black box - black optic. Composed of 15 optical groups complete with lens and anti-glare housing. Optics UGR<14. Degree of protection IP56.

### PRODUCT SPECS

|                              |                         |
|------------------------------|-------------------------|
| Installation method          | Wall surface mounted    |
| Light source                 | LED                     |
| Absorbed power               | 15x2,2 W                |
| Color temperature            | 4000K                   |
| Color rendering index CRI    | >90                     |
| Optic                        | Wide 50°                |
| Finishing                    | Black box - black optic |
| Luminous flux of the product | 3330 lm                 |
| Luminous efficiency          | 101 lm/W                |
| MacAdam color tolerance      | 2                       |
| Life time estimate           | 50000h Ta 25° L90B10    |
| Energy efficiency class      | E                       |
| Weight                       | 0.35 Kg                 |
| Dimension                    | L470xW112xH62 mm        |
| IP Grade                     | Ip56 / Ip56             |
| Protection Class             | Class III appliance     |




### WEB PAGE



## OPTIONAL ACCESSORIES

### **Box Driver accessory**

Accessory box for the containment of power supplies. Black finish. 210x73xH68.



code LV70BX

Accessory box for the containment of power supplies. Black finish. 210x73xH68.

Technical Sheet



