

Nyx Trimless Fisso T Kit T35F

code LTN30K.930F/01






















PRODUCT DESCRIPTION

Wall/ceiling recessed lamp, rpund section, direct light. Possibility to install total recessed or semi-recessed

PRODUCT SPECS

Installation method	Trimless recessed
Light source	Led
Absorbed power	5 W
Color temperature	3000K
Color rendering index CRI	>90
Optic	Flood 22°
Finishing	White
Luminaire luminous flux	520 lm
Luminous efficiency	104 lm/W
MacAdam color tolerance	2
Durata media stimata	50000h L90 B10 ta 25°C
Power supply/transformer	Not included
Energy efficiency class	D
Weight	0.11 Kg
Dimension	H84 Ø40 mm
Hole size	round cut Ø 65 mm
IP Grade	IP20/54
Protection Class	Class III appliance
Product Spec	Circular shape





WEB PAGE







MANDATORY ACCESSORIES

Accessori Outer Casing Nyx T For False Ceiling T35F outer casing for plasterboard




code LTN03A

Trimless recessed uncategorized outer casing for plasterboard



Accessori Wallbox Nyx For Brickwall T35F outer casing box for brick wall



code LTN03B

Trimless recessed indoor outer casing for brick wall square shape



