



## **Semplice Track Projector B90**

code SE401.930F/01



















#### PRODUCT DESCRIPTION

Professional track headlamps Eurostandard professional LED sources complete with interchangeable optics 15°, 24°, and 38°. Equipped with built-in electronic 230V/240V power supply unit. Track version with Eurostandard adapter. Body and optical group of cylindrical section in extruded painted aluminum. Mechanical joints in steel. Adjustability of the optical unit from the vertical resting position of 355° on the vertical axis and from 0° to 90°. on the horizontal axis by means of a sled arm. Position maintenance thanks to aiming lock. Color finish white, protection degree IP20.

#### **PRODUCT SPECS**

Installation method	Track
Light source	Led-en
Absorbed power	17 W
Color temperature	3000K
Color rendering index CRI	>90
Optic	Flood 24°
Finishing	White
Luminaire luminous flux	1645 lm
Luminous efficiency	97 lm/W
MacAdam color tolerance	>3
Power supply/transformer	Included
Protocol	On/Off
Energy efficiency class	D
Weight	1.6 Kg
Dimension	H215 Ø90 mm
IP Grade	IP20

### **WEB PAGE**







#### **OPTIONAL ACCESSORIES**

### Accessori Lens With Ring Asymmetric lens with ring ø85



code L085A.A

uncategorized. White finishing



code L085A.A

uncategorized. Black finishing



# Accessori Lens With Ring Elipsoid lens with ring ø85



code L085E.A

uncategorized. White finishing



### code L085E.A

uncategorized. Black finishing



### Accessori Lens With Ring Honeycomb louver with ring ø85



code L085R.A

uncategorized. White finishing





code L085R.A

uncategorized. Black finishing



# Accessori Lens With Ring Satin lens with ring ø85



code L085S.A

uncategorized. White finishing



### code L085S.A

uncategorized. Black finishing





