



## Semplice Track Projector B90

code SE405.940WD/01



### PRODUCT DESCRIPTION

Professional track headlamps Eurostandard 230V, complete with professional LED sources with interchangeable optics 15°, 24°, and 38°. Equipped with built-in electronic 230V/240V power supply unit. Track version with Eurostandard adapter. Body and optical group of cylindrical section in extruded painted aluminum. Mechanical joints in steel. Adjustability of the optical unit from the vertical resting position of 355° on the vertical axis and from 0° to 90° on the horizontal axis by means of a sled arm. Position maintenance thanks to aiming lock. Color finish white, protection degree IP20.

### PRODUCT SPECS

Installation method	Track
Light source	Led-en
Absorbed power	32 W
Color temperature	4000K
Color rendering index CRI	>90
Optic	Wide 38°
Finishing	White
Luminaire luminous flux	3671 lm
Luminous efficiency	115 lm/W
MacAdam color tolerance	3
Durata media stimata	3SDCM 50000h L90 B10 ta 25°C
Power supply/transformer	Included
Protocol	Dimmable
Energy efficiency class	E
Weight	1.6 Kg
Dimension	H215 Ø90 mm
IP Grade	IP20

### WEB PAGE



### ASSEMBLY INSTRUCTIONS



## OPTIONAL ACCESSORIES

### Accessori Lens With Ring Asymmetric lens with ring ø85



code L085A.A

uncategorized. White finishing

Technical Sheet



code L085A.A

uncategorized. Black finishing

Technical Sheet



### Accessori Lens With Ring Elipsoid lens with ring ø85



code L085E.A

uncategorized. White finishing

Technical Sheet



code L085E.A

uncategorized. Black finishing

Technical Sheet



### Accessori Lens With Ring Honeycomb louver with ring ø85



code L085R.A

uncategorized. White finishing

Technical Sheet





code L085R.A

uncategorized. Black finishing

Technical Sheet



### Accessori Lens With Ring Satin lens with ring ø85



code L085S.A

uncategorized. White finishing

Technical Sheet



code L085S.A

uncategorized. Black finishing

Technical Sheet



