



Semplice Track Projector B90

code SE405.9HCF/01



















PRODUCT DESCRIPTION

Professional track headlamps Eurostandard professional LED sources complete with interchangeable optics 15°, 24°, and 38°. Equipped with built-in electronic 230V/240V power supply unit. Track version with Eurostandard adapter. Body and optical group of cylindrical section in extruded painted aluminum. Mechanical joints in steel. Adjustability of the optical unit from the vertical resting position of 355° on the vertical axis and from 0° to 90°. on the horizontal axis by means of a sled arm. Position maintenance thanks to aiming lock. Color finish white, protection degree IP20.

PRODUCT SPECS

Installation method	Track
Light source	Led-en
Absorbed power	32 W
Color temperature	Horticulture
Color rendering index CRI	>90
Optic	Spot 24°
Finishing	White
MacAdam color tolerance	3
Durata media stimata	3SDCM 50000h L90 B10 ta 25°C
Power supply/transformer	Included
Protocol	On/Off
Energy efficiency class	E
Weight	1.6 Kg
Dimension	H215 Ø90 mm
IP Grade	IP20

WEB PAGE







OPTIONAL ACCESSORIES

Accessori Lens With Ring Asymmetric lens with ring ø85



code L085A.A

uncategorized. White finishing



code L085A.A

uncategorized. Black finishing



Accessori Lens With Ring Elipsoid lens with ring ø85



code L085E.A

uncategorized. White finishing



code L085E.A

uncategorized. Black finishing



Accessori Lens With Ring Honeycomb louver with ring ø85



code L085R.A

uncategorized. White finishing





code L085R.A

uncategorized. Black finishing



Accessori Lens With Ring Satin lens with ring ø85



code L085S.A

uncategorized. White finishing



code L085S.A

uncategorized. Black finishing





