

APP-LIQUES

Applique architettuale a sorgente LED lineare. Caratterizzata da dimensioni ultraminimali, installata diventa parte integrante dell'architettura. App-line, una piccola mensola con emissione luminosa indiretta. App-eal, una "L", con emissione luminosa indiretta. Corpo in alluminio pieno lavorato, finitura verniciata. Gruppo ottico completo di schermo di protezione satinato. Grado di protezione IP40.


Architectural wall light with linear LED light source. Characterized by ultraminimal dimensions, installed it becomes an integral part of the architecture. App-line, a small shelf with indirect light emission. App-eal, an "L" with indirect light emission. Full machined aluminum body, painted finish. Optical unit complete with satin protection screen. IP40.



WALL CEILING




APP-LINE 1



LED	W	Dim.	H	Kg	k	lm product/beam 3000K	115°	CODE	Col.
	13	100x310	37	1	3000	940		APS01	/01
	13	100x310	37	1	4000	960		APS02	

Alimentatote dimmerabile a taglio di fase incluso per dimmer dedicati tipo Vimar EvoEikon od equivalenti.
Phase cut driver, to be used with Vimar EvoEikon or equivalent dimmers, included


APP-LINE 2



LED	W	Dim.	H	Kg	K	lm product/beam 3000K	115°	CODE	Col.
	26	100x440	37	1,30	3000	1880		APSB1	/01
	26	100x440	37	1,30	4000	1920		APSB2	

Alimentatote dimmerabile a taglio di fase incluso per dimmer dedicati tipo Vimar EvoEikon od equivalenti.
Phase cut driver, to be used with Vimar EvoEikon or equivalent dimmers, included


APP-EAL 1



LED	W	Dim.	H	Kg	K	lm product/beam 3000K	115°	CODE	Col.
	13	100x210	110	1,2	3000	940		APE01	/01
	13	100x210	110	1,2	4000	960		APE02	

Alimentatote dimmerabile a taglio di fase incluso per dimmer dedicati tipo Vimar EvoEikon od equivalenti.
Phase cut driver, to be used with Vimar EvoEikon or equivalent dimmers, included

APP-EAL 2



LED	W	Dim.	H	Kg	K	lm product/beam 3000K	115°	CODE	Col.
	26	100x310	110	1,5	3000	1880		APEB1	/01
	26	100x310	110	1,5	4000	1920		APEB2	

Alimentatote dimmerabile a taglio di fase incluso per dimmer dedicati tipo Vimar EvoEikon od equivalenti.
Phase cut driver, to be used with Vimar EvoEikon or equivalent dimmers, included

